



Parker Pioneer Fittings Price List :

Size	Price Per Unit (INR)
Parker Fitting, Run Tee -4 Mjic X -4 Fjic, Carbon Steel - Crane Parts	216
Reducer W/Nut Sti Parker Fitting, Carbon Steel	206
Adapter, Sti Parker Fitting, Carbon Steel	162
16 Morb Adapter, Sti Parker Fitting, Carbon Steel	957
Morb 90 Elbow Sti Parker Fitting, 90 Dge Elbow- 12 Mjic X 16 Morb, Carbon Steel	1,219
1/2 Mnpt 90 Elbow Sti Parker Fitting, 90 Male Elbow, Carbon Steel	441
90 Elbow Sti Parker Fitting, 90 Dgr Elbow, Carbon Steel	313
Hex Plug. Sti Parker Fitting, 3/4 Mnpt, Carbon Steel	175
16 Morb 90 Elbow Sti Parker Fitting, 90 Dge Elbow- 20 Mjic X 16 Morb, Carbon Steel	1,911
4 Morb Hex Head Plug, Sti Parker Fitting, Carbon Steel	60

Pioneer Hydraulic Coupler O-Ring Size :

Valu-Pak Hydraulic Quick Couplings, Adapters and O-rings		
Part No.	Description	Qty
VP4050-2P-CS	1/4" Female Body (Poppet Valve) 1/4" NPTF	1
VP4000-2P-CS	1/4" Complete Coupling (Poppet Valve) 1/4" NPTF	1
VP4000-3P-CS	3/8" Complete Coupling (Poppet Valve) 3/8" NPTF	1
VP4000-4-CS	1/2" Complete Coupling 1/2" NPTF	1
VP4000-4P-CS	1/2" Complete Coupling (Poppet Valve) 1/2" NPTF	1
VP4000-16-CS	1/2" Complete Coupling 7/8" ORB	1
VP4050-4-CS	1/2" Female Body 1/2" NPTF	1
VP4050-4P-CS	1/2" Female Body (Poppet Valve) 1/2" NPTF	1
VP4056-4-CS	1/2" John Deere Female Body 1/2" NPTF	1
VP4056-15-CS	1/2" John Deere Female Body 3/4" ORB	1
VP4057-4-CS	1/2" International Harvester Female Body 1/2" NPTF	1
VP4200-3P-CS	3/8" Complete Coupling (Poppet Valve) 3/8" NPTF	1
VP4200-4-CS	1/2" Complete Coupling 1/2" NPTF	1
VP4200-4P-CS	1/2" Complete Coupling (Poppet Valve) 1/2" NPTF	1
VP4250-4-CS	1/2" Female Body 1/2" NPTF	1
VP4250-4P-CS	1/2" Female Body (Poppet Valve) 1/2" NPTF	1
VP8200-4-CS	1/2" Complete Coupling (Poppet Valve) 1/2" NPTF	1
VP8250-4-CS	1/2" Female Body 1/2" NPTF	1
VPEAS-500-CS	Non-Spill Adapter	1
VPFEM-501-10BMF-NL-CS	Non-Spill Coupler	1
VPFEM-501-10BMS-NL-CS	Non-Spill Coupler	1
VPFEM-501-10FO-NL-CS	Non-Spill Coupler	1
VPFEM-501-8FP-NL-CS	Non-Spill Coupler	1
VPFEM-501-12FO-NL-CS	Non-Spill Coupler	1
VPFEM-502-10BMF-CS	Non-Spill Nipple	1



Pioneer Hydraulic Nipple Male Pipe Thread Size Chart :

Nipples - Male Pipe Thread



Body Size	Part Number Brass	Part Number Steel	Part Number Stainless Steel (303)**	Thread Size	Length	Exposed Length*	Largest Diameter	Wrench Flats	Weight (lbs.)
1/4	-	H0C	-	1/8-27 NPTF	1.68	0.92	0.58	0.50	0.05
1/4	BH2C	H2C	SH2C	1/4-18 NPTF	1.66	0.89	0.65	0.56	0.06
1/4	-	H2C-E	SH2C-E	3/8-18 NPTF	1.90	1.14	0.80	0.69	0.07
3/8	-	H00E	-	1/8-27 NPTF	1.68	0.73	0.72	0.62	0.08
3/8	-	H0E	-	1/4-18 NPTF	1.90	0.95	0.72	0.62	0.08
3/8	BH2E	H2E	-	3/8-18 NPTF	1.90	0.95	0.80	0.69	0.09
3/8	-	H2E-F	-	1/2-14 NPTF	2.03	1.09	1.02	0.88	0.15
1/2	-	H0F	-	3/8-18 NPTF	2.20	0.96	0.79	0.69	0.16
1/2	BH2F	H2F	-	1/2-14 NPTF	2.35	1.09	1.01	0.88	0.18
1/2	-	H2F-G	-	3/4-14 NPTF	2.40	1.16	1.22	1.06	0.24
3/4	-	H2G-F	-	1/2-14 NPTF	2.32	1.16	1.16	1.00	0.22
3/4	BH2G	H2G	-	3/4-14 NPTF	2.28	1.12	1.22	1.06	0.28
3/4	-	H2G-J	-	1-11 1/2 NPTF	2.56	1.40	1.52	1.31	0.36

Pioneer Hydraulic Nipple Female Pipe Thread Size Chart :

Nipples - Female Pipe Thread



Body Size	Part No. Brass	Part No. Steel	Thread Size	Length	Exposed Length**	Largest Diameter	Wrench Flats	Weight (lbs)
1/4	-	1C	1/8-27 NPTF	1.28	0.55	0.58	0.50	0.05
1/4	B3C	3C	1/4-18 NPTF	1.47	0.74	0.72	0.62	0.05
1/4	-	3C-E	3/8-18 NPTF	1.50	0.77	0.94	0.81	0.07
3/8	-	1E	1/4-18 NPTF	1.60	0.67	0.72	0.62	0.07
3/8	-	3E	3/8-18 NPTF	1.68	0.77	0.94	0.81	0.10
1/2	-	1F	3/8-18 NPTF	2.05	0.83	0.94	0.81	0.13
1/2	-	3F	1/2-14 NPTF	2.27	1.05	1.16	1.00	0.18
1/2	-	H3F-G	3/4-14 NPTF	2.38	1.13	1.44	1.25	0.26



Pioneer Hydraulic Couplers Female Pipe Thread Size Chart :

Couplers - Female Pipe Thread								
Body Size	Part Number Brass	Part Number Steel	Part Number Stainless Steel (303) **	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/4	B23A	-	-	1/8-27 NPTF	1.83	0.90	0.75	0.20
1/4	B23	-	S23	1/4-18 NPTF	1.83	0.90	0.75	0.19
1/4	B23E	-	-	3/8-18 NPTF	1.95	0.94	0.81	0.20
3/8	-	25C	-	1/4-18 NPTF	2.22	1.06	0.88	0.30
3/8	B25	25	-	3/8-18 NPTF	2.28	1.06	0.88	0.32
3/8	-	25F	-	1/2-14 NPTF	2.55	1.16	1.00	0.34
1/2	-	17E	-	3/8-18 NPTF	2.74	1.19	1.00	0.46
1/2	B17	17	-	1/2-14 NPTF	2.96	1.19	1.00	0.50
1/2	-	17G	-	3/4-14 NPTF	3.19	1.44	1.25	0.56

Pioneer Hydraulic Couplers Male Pipe Thread Size Chart :

Couplers - Male Pipe Thread								
Body Size	Part Number Brass	Part Number Steel	Part Number Stainless Steel (303) **	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/4	B22A	-	-	1/8-27 NPTF	1.89	0.90	0.75	0.18
1/4	B22	-	S22	1/4-18 NPTF	2.05	0.90	0.75	0.18
1/4	B22E	-	-	3/8-18 NPTF	2.08	0.90	0.75	0.19
3/8	-	24C	-	1/4-18 NPTF	2.36	1.06	0.88	0.26
3/8	B24	24	-	3/8-18 NPTF	2.39	1.06	0.88	0.29
3/8	-	24F	-	1/2-14 NPTF	2.55	1.16	0.88	0.29
1/2	-	16E	-	3/8-18 NPTF	2.93	1.19	1.00	0.42
1/2	B16 *	16	-	1/2-14 NPTF	3.08	1.19	1.00	0.47
1/2	-	16G	-	3/4-14 NPTF	3.21	1.30	1.13	0.56



Pioneer Hydraulic 1/8" Body Size Couplers - Female Pipe Thread :

Body Size	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/8	1/8-27 NPTF	1.42	0.63	0.55	0.06
1/8	1/8-27 NPTF	1.81	0.63	0.67	0.10

Pioneer Hydraulic 1/8" Body Size Couplers - Male Pipe Thread :

Body Size	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/8	1/8-27 NPTF	1.50	0.63	0.55	0.06
1/8	1/8-27 NPTF	1.61	0.63	0.55	0.07

Pioneer Hydraulic 1/8" Body Size Nipples - Female Pipe Thread :

Body Size	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/8	1/8-27 NPTF	1.08	0.58	0.50	0.03
1/8	1/8-27 NPTF	1.34	0.78	0.67	0.07

Pioneer Hydraulic Heavy Duty Couplers – Female Pipe Thread

Body Size	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/8	1/4-18 NPSF	2.19	0.99	0.81	0.26
1/8	3/8-18 NPSF	2.34	0.99	0.81	0.27
3/8	1/4-18 NPSF	2.33	1.07	0.94	0.33
3/8	3/8-18 NPSF	2.33	1.07	0.94	0.31
3/8	1/2-14 NPTF	2.49	1.07	1.00	0.35

Pioneer Hydraulic Heavy Duty Couplers – Male Pipe Thread

Body Size	Thread Size	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/4	1/4-18 NPSF	2.34	0.99	0.81	0.25
1/4	3/8-18 NPSF	2.37	0.99	0.81	0.26
3/8	1/4-18 NPSF	2.49	1.07	0.94	0.32
3/8	3/8-18 NPSF	2.52	1.07	0.94	0.30
3/8	1/2-14 NPTF	2.68	1.07	0.94	0.33

Pioneer Hydraulic Heavy Duty Couplers – Standard Hose Barb

Body Size	Hose ID	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/4	1/4	2.81	0.99	0.81	0.26
1/4	3/8	2.81	0.99	0.81	0.27
3/8	3/8	3.02	1.07	0.94	0.31
3/8	1/2	3.02	1.07	0.94	0.34

Pioneer Hydraulic Heavy Duty Couplers – Push-Lok Hose Barb

Body Size	Hose ID	Length	Largest Diameter	Wrench Flats	Weight (lbs.)
1/4	1/4	2.64	0.99	0.81	0.26
1/4	3/8	2.78	0.99	0.81	0.27
3/8	3/8	3.02	1.07	0.94	0.33
3/8	1/2	3.07	1.07	0.94	0.31



Pioneer Hydraulic Fittings Cross Reference Table :

Faster	Safeway	Aeroquip	Foster	Hansen	Holmbyury	Parker	Perfecting	Snaptite	Tomco
2FFI-1-NPT-F		FD89-1001-16-16	FD89-1001-16-16						
2FFI-12-NPT-F		FD89-1001-08-08	FD89-1001-08-08		FIMC12A NPT 1/2"F	FE-501-8FP			EC4-26
2FFI-14-NPT-F		FD89-1001-04-04	FD89-1001-04-04		FIMC14 NPT 1/4"F				EC2-16
2FFI-14-NPT-M		FD89-1002-04-04	FD89-1002-04-04		FIMC14 NPT 1/4"M				EP2-16
2FFI-34-NPT-F		FD89-1001-12-12	FD89-1001-12-12						
2FFI12-12SAE-F					FIMC34 SAE 1/2"F				
2FFI12-34NPT-F	FF495-6	FD89-1001-12-08	FD89-1001-12-08		FIMC34 NPT 3/4"F				
2FFI12-34SAE-F	FF495-6-12				FIMC34 SAE 3/4"F	FE-501-12FO			EC4-12
2FFI12-34SAE-M	FF491-6-12				FIMC34 SAE 3/4"M	FE-502-12FO			EP4-12
2FFI12-58SAE-F						FE-501-10FO			
2FFI14-38SAE-F					FIMC14 SAE 3/8"F				
2FFI14-38SAE-M					FIMC14 SAE 3/8"M				
2FFI34-1NPT-F									EC8-36
2FFI34-34SAE-F					FIMC100 SAE3/4"F				
2FFI58-34NPT-F									EC6-31
2FFI58-34SAE-F					FIMC34B SAE 3/4"F	FE-621-12FO			
2FFN-38-GAS-F				QA 29021 00		FF-371-6FB	3HTBF3		
2FFN-38-GAS-M				QA 29022 00		FF-372-6FB	HT3BF3		
2FFN-38-NPT-F	FF495-3	FD49-1001-06-06	FD49-1001-06-06	QA 29221 00	FIMC38 NPT 3/8"F	FF-371-6FP	3HTF3	74C6-6F	FD49-1001-06-06
2FFN38-12NPT-F	FF495-4	FD49-1001-08-06	FD49-1001-08-06	QA 29231 00	FIMC12 NPT 1/2"F	FF-371-8FP	3HTF4	74C6-8F	FD49-1001-08-06
2FFN38-12SAE-F	FF491-3-8	FD49-1005-08-06	FD49-1005-08-06		FIMC12 SAE 1/2"F	FF-371-8FO		74C6-8EF	FD49-1005-08-06
2FFN38-12SAE-M	FF495-3-8	FD49-1004-08-06	FD49-1004-08-06		FIMC12 SAE 1/2"M	FF-372-8FO		74N6-8EF	FD49-1004-08-06
2MV-34-NPT-M	S71-6P	5602-12-10S	5602-12-10S			8010-5P			
2NS-12-NPT-M	S71-4					8010-4	R4F4		
2NV-12-NPT-M	S71-4P	FD76-1002-08-10	FD76-1002-08-10	HA 15232 00		8010-4P			
2NV12-12SAE-M	S71-15P	FD76-1010-08-10	FD76-1010-08-10			8010-15P			
2NV12-58SAE-M	S71-16P					8010-16P			
ANV-1-NPT-F	S565-8	5601-16-16S	5601-16-16S	HA 15251 00		6601-16-16	8K8F		CA5608-36
ANV-1-NPT-M	S561-8	5602-16-16S	5602-16-16S	HA 15252 00		6602-16-16	K8F8		5602-16-16S
ANV-14-NPT-F	S565-2	5601-4-4S	5601-4-4S	HA 15211 00		6601-4-4	2KF2		CA5602-16
ANV-14-NPT-M	S561-2	5602-4-4S	5602-4-4S	HA 15212 00		6602-4-4	K2F2		PA5602-16
ANV-34-GAS-F							6KBF6		
ANV-34-GAS-M							K6BF6		
ANV-34-NPT-F	S565-6	5601-12-12S	5601-12-12S	HA 15241 00		6601-12-12	6K6F		CA5606-31
ANV-34-NPT-M	S561-6	5602-12-12S	5602-12-12S	HA 15242 00		6602-12-12	K6F6		PA5606-31
ANV-38-NPT-F	S565-3	5601-6-6S	5601-6-6S	HA15221 00		6601-6-6	3KF3		CA5603-21
ANV-38-NPT-M	S561-3	5602-6-6S	5602-6-6S	HA 15222 00		6602-6-6	K3F3		PA5603-21
ANV1-1SAE-F		5608-16-16S	5608-16-16S			6608-16-16	8KOF8		5608-16-16S
ANV1-1SAE-M		5610-16-16S	5610-16-16S			6610-16-16	K8OF8		5610-16-16S
ANV34-34SAE-F		5608-12-12S	5608-12-12S			6608-12-12	6KOF6		5608-12-12S



Pioneer Quick Coupler



Pioneer Couplings



International To Pioneer Hydraulic Adapter



Parker Pioneer 3000 Hydraulic Fittings



Pioneer Hydraulic Quick Connect Hose Coupling



Pioneer 4250 Hydraulic Fittings



Pioneer Hydraulic Hose Fittings




Pioneer Hydraulic Quick Disconnect



Pioneer Hydraulic Quick Coupler



Pioneer Hydraulic Coupler O-Ring



Pioneer Hydraulic Valves